CURRENT LISTING OF CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application:

- 1 1. (Previously Presented) A method comprising:
 2 invoking, by an application, a call of a command line utility, the application providing an
 3 identifier in the call of the command line utility;
- 4 receiving output from the command line utility;
- storing the command line utility output in a system storage at a location identified by the identifier; and
- 7 retrieving, by the application, the command line utility output from the system storage at 8 the location identified by the identifier.
- 1 2. (Previously Presented) The method of claim 1, wherein providing the identifier comprises providing an identifier that identifies one or more entries in a system registry database.
- 1 3. (Previously Presented) The method of claim 2, wherein providing the identifier comprises providing a root key identifier.
- 4. (Previously Presented) The method of claim 3, wherein providing the root key identifier comprises providing a sub-key identifier.
- 1 5. (Previously Presented) The method of claim 2, wherein the system registry 2 database comprises an operating system registry database.
- 6. (Previously Presented) The method of claim 1, wherein providing the identifier comprises providing a system storage identifier.
- 7. (Previously Presented) The method of claim 6, wherein providing the system storage identifier comprises providing an identifier indicating a system registry.

- 1 8. (Previously Presented) The method of claim 6, wherein providing the system 2 storage identifier comprises providing an identifier indicating shared system memory.
- 9. (Previously Presented) The method of claim 8, wherein providing the identifier indicating shared system memory identifies a system clipboard memory.
- 1 10. (Original) The method of claim 1, wherein the act of receiving output from a command line utility comprises receiving output directly from the command line output utility.
- 1 11. (Original) The method of claim 1, wherein the act of receiving output from a
 2 command line utility comprises receiving output from the command line output utility through a
 3 subsequent command line output routine.
- 1 12. (Original) The method of claim 1, wherein the act of storing comprises
 2 associating each line of command line utility output with a line identifier in the system storage.
- 1 13. (Previously Presented) The method of claim 12, further comprising setting each 2 line identifier to a value corresponding to a position of that line in the command line utility 3 output.
- 1 14. (Previously Presented) The method of claim 12, further comprising setting a
 2 default value of the provided identifier to equal the total number of command utility output lines
 3 stored in the system storage.

1

2

3 4

- (Previously Presented) A program storage device, readable by a computer, 1 15. comprising instructions stored on the program storage device for causing the computer to: 2 cause an application to invoke a call of a command line utility, the application providing 3 an identifier in the call of the command utility; 4 receive output from the command line utility; 5 store the command line utility output in system storage at a location identified by the 6 7 identifier; and cause the application to retrieve the command line utility output from the storage at the 8 9 location identified by the identifier.
- 1 16. (Original) The program storage device of claim 15 wherein the instructions to store comprise instructions to store command line utility output in an operating system registry database.
- 1 17. (Original) The program storage device of claim 15 wherein the instructions to store comprise instructions to store command line utility output in an operating system maintained volatile memory.
 - 18. (Original) The program storage device of claim 15 wherein the instructions to receive output comprise instructions to receive one or more lines of output from the command line utility, and the instructions to store further comprise instructions to store each of said one or more lines of output in the system storage.
- 1 19. (Original) The program storage device of claim 18 wherein the instructions to 2 store further comprise instructions to associate a unique identifier with each of the one or more 3 lines of output stored in the system storage.
- 1 20. (Original) The program storage device of claim 18 wherein the instructions to 2 store further comprise instructions to set a value associated with the received identifier in the 3 system storage equal to the number of lines of output stored in the system storage.

21. (Previously Presented) A computer system, comprising: 1 2 a processor, a command line utility; 3 an application executable on the processor, the application to call the command line 4 utility, the application to provide an identifier in the call; 5 a system storage having a location identified by the identifier, the location identified by 6 the identifier to store an output of the command line utility, 7 the application to retrieve the command line utility output from the location identified by 8 the identifier. 9 1 22. (Cancelled) (Previously Presented) The method of claim 1, wherein the command line utility 1 23. comprises a first command line utility, and wherein invoking the call by the application 2 comprises invoking a call to pipe output of a second command line utility to the first command 3 line utility. 4 wherein storing the command line utility output comprises storing the command line 5 6 utility output of the first command line utility. (Previously Presented) The program storage device of claim 15, wherein the 1 24. command line utility comprises a first command line utility, and wherein invoking the call by the 2 application comprises invoking a call to pipe output of a second command line utility to the first 3 4 command line utility, wherein storing the command line utility output comprises storing the command line 5 6 utility output of the first command line utility. (Previously Presented) The computer system of claim 21, wherein the command 25. 1 line utility comprises a first command line utility, the system further comprising a second 2 3 command line utility, the application to invoke a call that causes output of the second command line utility to be piped to the first command line utility, 4 the location identified by the identifier to store output of the first command line utility. 5